Viagra: Information for the patient

Viagra (sildenafil) is a medicine frequently prescribed as a treatment to erectile dysfunction. In contrast to the popular belief, consumption of Viagra doesn't give an instant erection but helps to get & keep an erection in the presence of sexual stimulation.

Viagra increases blood flow to the penis when sexually excited and thereby helps to get and sustain an erection to have a pleasurable experience of sexual intercourse.

In the market, you might have come across numerous erectile deficiency drugs. However, Viagra is the most prescribed medicine as it comes with very low side effects and also with enhanced effect. A tablet of Viagra, no doubt, is going to change your sexual life for ever.

Drug usage

Viagra is a tablet that acts by relaxing the muscles of the vessels in the penile region. Once the vessels are relaxed, blood flow increases. It is a known fact that the penis gets very hard erection if there is no interruption t the flow of blood. Moreover, when there is a continuous blood flow, the erection will last for many hours.

How taken

Never buy Viagra on your own. Always take viagra for your impotency issues only after consulting the physician. It is always prescribed to use Vigara tablet an hour before engaging with your partner.

Doctors normally prescribe Viagra tablets of 50 mg for adults. They will only prescribe half of the dose for elderly persons as they are more liable to the side effects.

An important thing that should be kept in mind while taking Viagra is that you should not go for overdoses as it can only bring in may complications; always maintain gaps of twenty four hours between two Viagra dosages.

More information

Once you approach the doctor for any impotency problems, make sure that you discuss with him about your present and past health conditions. The doctor will scribble the right dose of Viagra for your condition only if he is completely aware of your body conditions.

When discussing with the doctor, do not hide from him if you have any problem of the penis, heart issues, liver/kidney problems and blood problems.

Warnings

Viagra should always be taken cautiously. Certain drugs are seen to have an interaction with Viagra and so it is good to tell the doctor about all medications that you use. Viagra should never be taken if you are having any medicine that contains nitrates. If the two are taken together, then there is a possibility that the pressure may fall down. It is also preferred not to use Viagra if you are on any alpha medication. Alcohol should also be given up if you are using Viagra tablet. Grape fruits and its juice should also be not used. The drug should also be given up if you are having allergies to it.

Some persons have complained of sudden vision loss after having Viagra. However, it is not yet proved if Viagra is the cause of sudden vision problem. People who are diabetic and who have high blood pressure and high cholesterol had only experienced such a sudden vision loss after taking Viagra.

One should also be careful against erections that last for many hours, more than the prescribed time. This prolonged erection is not a good trend as it can damage the penis. In case you feel of having erections for many hours, it is better to contact the doctor at the earliest.

Side effects

	- (1)	
6	0	
-0-	-0-	١

While using Viagra, people can come across many allergic reactions and also side effects. However, there are no worries while using viagra tablet as these side effects are not that harsh and do not last for many hours.

This Patient Information has been approved by ViagraSamples.org